

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6,332,661".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 18:05
S2	2812	323/315	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:03
S3	8	S2 and MISFET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:37
S4	1	S3 and reference adj current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:04
S5	2	US "20040227499"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 17:55
S6	1	S3 and (current adj reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:38
S7	4	S3 and (mirror)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:38
S8	3	S7 and (semiconductor near chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:12
S10	2	S8 and (display or (display with data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:43

EAST Search History

S11	3	S3 and (display or (display with data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:45
S12	1	S2 and ((driving adj circuit\$3 near display) or (current adj driver near display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:50
S13	0	S12 and "200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:47
S14	4	S3 and "200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:47
S15	0	S3 and ("200" near meter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:47
S16	3234	((driving adj circuit\$3 near display) or (current adj driver near display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:11
S17	10	S16 and (MISFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:12
S18	8	S17 and reference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:50
S19	5	S18 and mirror	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 15:51
S20	1	S19 and "200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 16:39

EAST Search History

S21	542	327/53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 16:40
S22	2	S21 and (MISFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 16:49
S23	537	327/66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 16:49
S25	3	S23 and (MISFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 16:50
S26	9	("3365584" "4825104" "4912745" "5004932" "5469392").PN. OR ("5838166"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 16:54
S27	841	327/105	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 16:55
S28	3	S27 and (MISFET)	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 16:56
S29	68	S27 and (current adj mirror)	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 16:56
S30	189	S27 and (IC or (semiconductor adj chip))	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 16:57
S31	26	S29 and (IC or (semiconductor adj chip))	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 17:46
S32	2657	327/538	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 17:46
S33	6	S32 and (MISFET)	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 17:48

EAST Search History

S34	748	327/539	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:49
S35	1	S34 and (MISFET)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:50
S36	1754	327/540	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:50
S37	0	S36 and (MISFET)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:51
S38	1685	327/541	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:51
S39	5	S38 and (MISFET)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:53
S40	308	327/542	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:53
S41	0	S40 and (MISFET)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:53

EAST Search History

S42	1777	327/543	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:53
S43	3	S42 and MISFET	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 17:54
S44	15	("4195356" "5199000").PN. OR ("5392243").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/27 17:55
S45	3	"20030151567"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/28 16:16
S46	3	"20030151567"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 18:08
S47	2	"20030122808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/27 18:08
S48	3	"20030151567"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/28 15:07
S49	4	("6586888" "6747417" "6756738" "6777885").PN. OR ("6992647").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/28 15:07
S50	3862	315/169.3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/28 16:16
S51	1	S50 and (MISFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/28 16:17

EAST Search History

S52	2005	315/169.4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/28 16:17
S53	1	S52 and (MISFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/28 16:17
S54	30	("3725899" "4432610" "5349366" "5412596" "5642213" "5668754").PN. OR ("6072454"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/28 16:19
S55	1456	345/76	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/28 16:19
S56	0	S55 and (MISFET)	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/28 16:19
S57	3584	345/204	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/28 16:19
S58	5	S57 and (MISFET)	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/28 16:19
S59	9	("3862360" "4532506" "5200741").PN. OR ("5587722"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/28 16:21
S60	0	(current adj driving) near (semiconductor adj chip) near display	US-PGPUB; USPAT; USOCR	AND	ON	2006/04/28 16:22
S61	0	(current adj driving) near (semiconductor adj chip) near display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/28 16:22
S62	0	(current near3 driv\$3) near (semiconductor near3 chip) near (display or terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/28 16:23
S63	1	US "20040227499"	US-PGPUB	AND	ON	2006/04/28 16:24

EAST Search History

S64	0	(current driving device semiconductor chip first-conductive-type first MISFET reference current source reference current flow first-conductive-type current distribution MISFET current mirror circuit first MISFET and makes the reference second-conductive-type current input MISFET current distribution MISFET current supply sections source MISFETs current mirror). CLM.	US-PGPUB	AND	ON	2006/04/28 16:27
S65	0	(current driving device semiconductor chip first-conductive-type MISFET current source reference conductive-type current distribution MISFET second-conductive-type current input MISFET current distribution MISFET current supply sections source MISFETs).CLM.	US-PGPUB	AND	ON	2006/04/28 16:28
S66	1	(current driving device semiconductor chip MISFET current source reference MISFET current input MISFET current distribution MISFET current supply sections source).CLM.	US-PGPUB	AND	ON	2006/04/28 16:29
S67	3	"20030184568"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/08/16 12:27
S71	39	2003/0184568 "6,456,270" "6,509,854" "6,586,888" "6,765,560" "6,882,186" "6,897,619" "6,924,601" "6,958,742"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:40
S72	6795047	2003/0184568 "6,456,270" "6,509,854" "6,586,888" "6,765,560" "6,882,186" "6,897,619" "6,924,601" "6,958,742" "9"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:05
S74	0	2003/0184568	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:05

EAST Search History

S75	2	"US 20040227499"	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2006/11/14 15:07
S76	9	62-262517 5-216439 11-205147 11-340765 2000-310981 2002-202823	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:12
S77	0	62-262517	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:12
S78	1	5-216439	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:13
S79	0	11-205147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:14
S80	3	11-340765	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:28
S81	832336	Matsushita.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:29
S83	394	S81 and Date.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:31

EAST Search History

S84	120	S83 and (display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:15
S93	355	"200.mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:35
S94	0	S84 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:34
S95	591	"\$3.mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:35
S96	0	S84 and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:35
S97	14	S84 and MISFET	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:22
S98	21	S84 and chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:47
S99	9	S98 NOT S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:18

EAST Search History

S10 0	7	S84 and MOSFET	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:22
S10 1	5	S100 NOT S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:26
S10 2	27	S84 and (current adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:26
S10 3	25	S102 NOT S101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:15
S10 4	16	S84 and (display adj driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:16
S10 5	10	S104 and (chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:16
S10 6	8	S105 and (MISFET or MOSFET)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:16
S10 7	5	2002-367857	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:47

EAST Search History

S108	2	"20050200583"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 18:12
S109	2	"20050024100"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:01
S110	1	MOSFET type MISFET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:21
S111	6	MISFET type MOSFET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:23
S112	986	MISFET same MOSFET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:24
S113	124	S112 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:24
S114	74	S113 and chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:25
S115	0	S114 and "type of"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:24
S116	73	S114 and type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:24
S117	415	MISFET same MOSFET same type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:24

EAST Search History

S11 8	32	S117 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:25
S11 9	12	S118 and chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:33
S12 0	2	"6924601".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/11/16 18:33
S12 1	2	"US 20040227499"	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2006/11/16 18:48
S12 2	3	"20050180243"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:02
S12 3	3475	((driving adj circuit\$3 near display) or (current adj driver near display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:11
S12 4	3475	((driving adj circuit\$3 near display) or (current adj driver near display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:12
S12 5	127	S124 and (MISFET or MOSFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:12
S12 6	37	S124 and (semiconductor near chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:13
S12 7	27	S126 NOT Date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:14

EAST Search History

S12 8	6	S127 and (current with (mirror or source or reference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:15
S12 9	832362	Matsushita.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:16
S13 0	394	S129 and Date.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:16
S13 1	21	S130 and (display and chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:16
S13 2	14	S131 and (MOSFET or MISFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/11/16 19:16